

AluFrames

Aluminium rails for counterframes
Binari in alluminio per controtelai




AluFrames

PATENTED

AluFrames is a system of concealed tracks, designed for the installation of wall-pocket doors without counterframe.

AluFrames è un sistema nascosto in alluminio, studiato appositamente per far scorrere le porte dentro nicchie interne a parete.



An easy and versatile system

AluFrames system for wooden doors is available in combination with **Evolution** series (concealed bracket sliding system) and **Classic** series (standard bracket sliding system). **AluFrames** system for glass doors is available in combination with clamps series **Vetro 24** (24 mm height glass clamps with glass drilling requirements) and **Vetro 40** (40 mm height glass clamps without any drilling requirements).

The system has a maximum load **capacity of 80 kg**.

The **AluFrames** system is **extremely easy to install and also easy to be inspected** (because the door is very easy to be dismantled without breaking the plasterboard): the magnetic **Push Magnetic** system allows to combine the soft closing function and at the same time facilitates opening when the door is completely open.

Un sistema facile e versatile

Il sistema **AluFrames** per porte in legno è disponibile con le nostre staffe serie **Evolution** (sistema scorrevole con staffa invisibile) e **Classic** (sistema scorrevole con staffa tradizionale).

Il sistema **AluFrames** per porte in vetro è disponibile con le nostre pinze **Vetro 24** (accessori per porte in vetro con forature e pinza alta 24 mm) e **Vetro 40** (accessori per porte in vetro senza forature e pinza alta 40 mm).


Il sistema è realizzato per portate **fino a 80 kg**.

Il sistema **AluFrames** è estremamente **facile da montare**, di **rapida installazione** e di **facile ispezione**: il sistema con respingenti **Push Magnetic** combina il funzionamento di fermo e di apertura per porta totalmente aperta.



AluFrames Pocket

Rails for counterframes
Binari per controlelai



AluFrames Pocket can be used with all wooden/glass door brackets, with a capacity from 50 to 120 kg.

AluFrames Pocket è utilizzabile con tutte le staffe per porte in legno/vetro, con portata da 50 a 120 kg.
















Max 1250 mm



80 kg






6 mm

N°	Barcode		KG		N°	Barcode		KG		
1	1280 8 01 0.01280		-		5	199 8 01 0.00199		-		
	3340 8 01 0.03340		-			6	198 8 01 0.00198		-	
2	3300 8 01 0.03300		-		7		1222		-	
	3310 8 01 0.03310		-			8	3302		80	
	3320 8 01 0.03320		-				9	3308/8		80
						3308/10		80		Glass thk. Vetri sp. 10-10,7 mm 3/8"
3	3306		80		3308/12	80	Glass thk. Vetri sp. 12-12,7 mm 1/2"			
	543/11/G 8 23 1.00543		-		10	121 8 23 0.00121		80		




801
801
801
801
801
801
823
823

AluFrames Pocket




Rails for counterframes
Binari per controlelai






OLD CODE	NEW CODE	W	L	H		
POCKET/250/3340	B.0147.A	Max 1250 mm	Max 2500 mm	Max 2200 mm	80 kg	1x



OLD CODE	NEW CODE	W	L	H		
POCKET/250/3300	B.0147.B	Max 1250 mm	Max 2500 mm	Max 2200 mm	80 kg	1x



OLD CODE	NEW CODE	W	L	H		
POCKET/250/3310	B.0147.C	Max 1250 mm	Max 2500 mm	Max 2200 mm	80 kg	1x









OLD CODE	NEW CODE	W	L	H		
POCKET/250/3320	B.0147.D	Max 1250 mm	Max 2500 mm	Max 2200 mm	80 kg	1x



AVAILABLE ON REQUEST L = 2000 mm E L = 3000 mm
A RICHIESTA, SONO DISPONIBILI L = 2000 mm E L = 3000 mm

ART. 3340 - MEASUREMENTS / MISURE









EVOLUTION
(WOOD / LEGNO)

VETRO 40
(GLASS / VETRO)

VETRO 24
(GLASS / VETRO)

ART. 3300 - MEASUREMENTS / MISURE









EVOLUTION
(WOOD / LEGNO)

VETRO 40
(GLASS / VETRO)

VETRO 24
(GLASS / VETRO)

ART. 3310 - MEASUREMENTS / MISURE









EVOLUTION
(WOOD / LEGNO)

VETRO 40
(GLASS / VETRO)

VETRO 24
(GLASS / VETRO)

ART. 3320 - MEASUREMENTS / MISURE



EVOLUTION
(WOOD / LEGNO)

VETRO 40
(GLASS / VETRO)

VETRO 24
(GLASS / VETRO)